


This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1-28. (Cancelled)

29. (Currently Amended) A compound of formula



in which

D is ~~phenyl, pyrrolyl, furyl, thiophenyl, pyridinyl, pyrimidinyl, pyridazinyl, pyrazinyl, pyrazolyl, imidazolyl, oxazolyl, isoxazolyl, thiazolyl, isothiazolyl or triazinyl,~~ each of which is monosubstituted or polysubstituted by Hal,

X and X' are H,

W is $-\text{[C(R}^2\text{)}_2\text{]}_n\text{CONR}^2\text{[C(R}^2\text{)}_2\text{]}_n-$, $-\text{[C(R}^2\text{)}_2\text{]}_n\text{NR}^2\text{CO[C(R}^2\text{)}_2\text{]}_n-$,
 $-\text{[C(R}^2\text{)}_2\text{]}_n\text{O[C(R}^2\text{)}_2\text{]}_n-$, $-\text{[C(R}^2\text{)}_2\text{]}_n\text{NR}^2\text{[C(R}^2\text{)}_2\text{]}_n-$,
 $-\text{[C(R}^2\text{)}_2\text{]}_n\text{O[C(R}^2\text{)}_2\text{]}_n\text{CONR}^2\text{[C(R}^2\text{)}_2\text{]}_n-$,
 $-\text{[C(R}^2\text{)}_2\text{]}_n\text{NR}^2\text{[C(R}^2\text{)}_2\text{]}_n\text{CONR}^2\text{[C(R}^2\text{)}_2\text{]}_n-$, $-\text{[C(R}^2\text{)}_2\text{]}_n\text{NR}^2\text{COO[C(R}^2\text{)}_2\text{]}_n-$ or
 $-\text{[C(R}^2\text{)}_2\text{]}_n\text{S(O)}_m\text{[C(R}^2\text{)}_2\text{]}_n\text{CONR}^2\text{[C(R}^2\text{)}_2\text{]}_n-$,

R² is H, A or $-\text{[C(R}^1\text{)}_2\text{]}_n\text{-Ar}'$,

Ar' is phenyl,

Y is phenylene or piperidinediyl, each of which is unsubstituted or monosubstituted or disubstituted by A, Br, Cl or F,

T is 2-oxopiperidin-1-yl, 2-oxopyrrolidin-1-yl, 2-oxo-1*H*-pyridin-1-yl, 3-oxomorpholin-4-yl, 4-oxo-1*H*-pyridin-1-yl, 2,6-dioxopiperidin-1-yl, 2-oxopiperazin-1-yl, 2,6-dioxopiperazin-1-yl, 2-oxopyrazin-1-yl, 2,5-dioxo-pyrrolidin-1-yl, 2-oxo-1,3-oxazolidin-3-yl, 3-oxo-2*H*-pyridazin-2-yl,

2-caprolactam-1-yl (= 2-oxoazepan-1-yl), 2-hydroxy-6-oxopiperazin-1-yl, 2-azabicyclo[2.2.2]octan-3-on-2-yl, 2-methoxy-6-oxopiperazin-1-yl, 5,6-dihydro-1*H*-pyrimidin-2-oxo-1-yl, 2-iminopiperidin-1-yl or 2-iminopyrrolidin-1-yl,

R¹ is H,

A is unbranched or branched alkyl having 1-10 carbon atoms, in which 1-7 H atoms are optionally replaced by F,

m is 0, 1 or 2, and

n is 0, 1 or 2.

30. (Currently Amended) A compound according to Claim 29, which is
2-[2-(5-chlorothiophen-2-yl)-1*H*-benzimidazol-5-yl]-*N*-[4-(3-oxomorpholin-4-yl)phenyl]acetamide,
2-[2-(5-chlorothiophen-2-yl)-1*H*-benzimidazol-5-yl]-*N*-[3-methyl-4-(3-oxomorpholin-4-yl)phenyl]acetamide,
2-[2-(5-chlorothiophen-2-yl)-1*H*-benzimidazol-5-yl]-*N*-[4-(2-oxopyridin-1-yl)phenyl]acetamide,
2-[2-(5-chlorothiophen-2-yl)-1*H*-benzimidazol-5-yl]-*N*-[4-(2-oxopyrrolidin-1-yl)phenyl]acetamide,
2-[2-(5-chlorothiophen-2-yl)-1*H*-benzimidazol-5-yl]-*N*-[3-methyl-4-(2-oxopyrrolidin-1-yl)phenyl]acetamide,
2-[2-(5-chlorothiophen-2-yl)-1*H*-benzimidazol-5-yl]-*N*-[4-(2-oxopyrazin-1-yl)phenyl]acetamide,
2-[2-(5-chlorothiophen-2-yl)-1*H*-benzimidazol-5-yl]-*N*-[4-(2-iminopyrrolidin-1-yl)phenyl]acetamide,
2-[2-(5-chlorothiophen-2-yl)-1*H*-benzimidazol-5-yl]-*N*-[4-(2-iminopiperidin-1-yl)phenyl]acetamide,
~~2-(5-chlorothiophen-2-yl)-5-[4-(2-oxopiperidin-1-yl)phenoxy]methyl-1*H*-benzimidazole,~~
~~2-(5-chlorothiophen-2-yl)-5-[4-(2-oxopiperidin-1-yl)phenoxy]-1*H*-benzimidazole,~~
~~2-(5-chlorothiophen-2-yl)-5-[4-(2-oxopiperidin-1-yl)phenylamino]-1*H*-benzimidazole,~~
2-[2-(5-chlorothiophen-2-yl)-1*H*-benzimidazol-5-yl]-*N*-[4-(3-oxomorpholin-4-yl)phenyl]valeramide,
2-[2-(5-chlorothiophen-2-yl)-1*H*-benzimidazol-5-yl]-*N*-[4-(3-oxomorpholin-4-yl)phenyl]-3-

phenylpropionamide,
 2-[2-(4-chlorophenyl)-1*H*-benzimidazol-5-yl]-*N*-[4-(3-oxomorpholin-4-yl)phenyl]acetamide,
 2-[2-(4-chlorophenyl)-1*H*-benzimidazol-5-yl]-*N*-[3-methyl-4-(3-oxomorpholin-4-yl)phenyl]acetamide,
 2-[2-(5-chloropyridin-2-yl)-1*H*-benzimidazol-5-yl]-*N*-[4-(3-oxomorpholin-4-yl)phenyl]acetamide,
 2-[2-(5-chloropyridin-2-yl)-1*H*-benzimidazol-5-yl]-*N*-[3-methyl-4-(3-oxomorpholin-4-yl)phenyl]acetamide,
 2-[2-(5-chlorothiophen-2-yl)-1*H*-benzimidazol-5-yl]-*N*-[4-(2-oxopiperidin-1-yl)benzyl]acetamide,
 2-[2-(5-chlorothiophen-2-yl)-1*H*-benzimidazol-5-yloxy]-*N*-[4-(3-oxomorpholin-4-yl)phenyl]acetamide,
 2-[2-(5-chlorothiophen-2-yl)-1*H*-benzimidazol-5-yloxy]-*N*-[4-(3-oxomorpholin-4-yl)phenyl]valeramide,
 2-[2-(5-chlorothiophen-2-yl)-1*H*-benzimidazol-5-yloxy]-*N*-[4-(2-oxopiperidin-1-yl)benzyl]acetamide,
 2-[2-(5-chlorothiophen-2-yl)-1*H*-benzimidazol-5-yl]-*N*-[4-(3-oxomorpholin-4-yl)benzyl]acetamide,
 1-[2-(5-chlorothiophen-2-yl)-1*H*-benzimidazol-5-yl]-*N*-[4-(2-oxopiperidin-1-yl)benzyl]formamide,
N-[2-(5-chlorothiophen-2-yl)-1*H*-benzimidazol-5-yl]-4-(2-oxopiperidin-1-yl)benzamide,
N-[2-(5-chlorothiophen-2-yl)-1*H*-benzimidazol-5-ylmethyl]-*N*-[4-(2-oxopiperidin-1-yl)benzyl]amine,
 2-[2-(5-chlorothiophen-2-yl)-1*H*-benzimidazol-5-ylamino]-*N*-[4-(3-oxomorpholin-4-yl)phenyl]acetamide,
 2-[2-(5-chlorothiophen-2-yl)-1*H*-benzimidazole-5-sulfonyl]-*N*-[3-methyl-4-(3-oxomorpholin-4-yl)phenyl]acetamide,
 2-[2-(5-chlorothiophen-2-yl)-1*H*-benzimidazole-5-sulfonyl]-*N*-[4-(3-oxomorpholin-4-yl)phenyl]acetamide,
 2-[2-(5-chlorothiophen-2-yl)-1*H*-benzimidazole-5-sulfonyl]-*N*-[4-(2-oxopyridin-1-yl)phenyl]acetamide,
 2-[2-(5-chlorothiophen-2-yl)-1*H*-benzimidazole-5-sulfonyl]-*N*-[4-(2-oxopiperidin-1-yl)benzyl]acetamide,

3-[2-(5-chlorothiophen-2-yl)-1*H*-benzimidazol-5-yl]-*N*-[4-(3-oxomorpholin-4-yl)phenyl]propionamide,
 3-[2-(5-chlorothiophen-2-yl)-1*H*-benzimidazol-5-yl]-*N*-[3-methyl-4-(3-oxomorpholin-4-yl)phenyl]propionamide,
 2-[2-(5-chlorothiophen-2-yl)-1*H*-benzimidazol-5-yl]-*N*-[4-(2-oxopiperidin-1-yl)phenyl]acetamide,
 2-(5-chlorothiophen-2-yl)-1*H*-benzimidazole-5-carboxamide-*N*-[3-methyl-4-(3-oxomorpholin-4-yl)phenyl]amide,
 2-(5-chlorothiophen-2-yl)-1*H*-benzimidazole-5-carboxamide-*N*-[4-(3-oxomorpholin-4-yl)phenyl]amide,
 2-[2-(5-chlorothiophen-2-yl)-1*H*-benzimidazol-5-yl]-*N*-[4-(2-iminopiperidin-1-yl)phenyl]valeramide,
 2-[2-(5-chlorothiophen-2-yl)-1*H*-benzimidazol-5-yloxy]-*N*-[4-(2-oxopiperidin-1-yl)benzyl]acetamide,
 2-[2-(5-chlorothiophen-2-yl)-1*H*-benzimidazol-5-yloxy]-*N*-[4-(2-oxo-2*H*-pyrazin-1-yl)phenyl]acetamide,
N-[2-(5-chlorothiophen-2-yl)-1*H*-benzimidazol-5-ylmethyl]-4-(2-oxopiperidin-1-yl)benzamide,
 2-[2-(5-bromothiophen-2-yl)-1*H*-benzimidazol-5-yl]-*N*-[4-(3-oxomorpholin-4-yl)phenyl]acetamide,
 2-[2-(5-bromothiophen-2-yl)-1*H*-benzimidazol-5-yl]-*N*-[4-(2-oxopiperidin-1-yl)phenyl]acetamide,
 2-[2-(5-bromothiophen-2-yl)-1*H*-benzimidazol-5-yl]-*N*-[4-(2-oxopyridin-1-yl)phenyl]acetamide,
 2-[2-(5-bromothiophen-2-yl)-1*H*-benzimidazol-5-yl]-*N*-[4-(2-oxopiperidin-1-yl)benzyl]acetamide,
 2-[2-(5-bromothiophen-2-yl)-1*H*-benzimidazol-5-yl]-*N*-[3-methyl-4-(3-oxomorpholin-4-yl)phenyl]acetamide,
 2-[2-(5-chlorothiophen-2-yl)-1*H*-benzimidazol-5-yloxy]-*N*-[4-(2-iminopiperidin-1-yl)phenyl]acetamide,
 2-[2-(5-chlorothiophen-2-yl)-1*H*-benzimidazol-5-yloxy]-*N*-[3-methyl-4-(3-oxomorpholin-4-yl)phenyl]acetamide,
 2-[2-(5-chlorothiophen-2-yl)-1*H*-benzimidazol-5-yloxy]-*N*-[3-fluoro-4-(3-oxomorpholin-4-yl)phenyl]acetamide,

yl)phenyl]valeramide,

N-[2-(5-chlorothiophen-2-yl)-1*H*-benzimidazol-5-ylmethyl]-2-[4-(3-oxomorpholin-4-yl)phenyl]acetamide, or


N-[2-(5-chlorothiophen-2-yl)-1*H*-benzimidazol-5-yl]-2-[4-(3-oxomorpholin-4-yl)phenyl]acetamide.

31. (Withdrawn and Currently Amended) A process for preparing a compound according to claim 29, comprising

a) ~~for the preparation of a compound of formula I in which W is~~



reacting a compound of formula II



in which

L is Cl, Br, I or a free or reactively functionally modified OH group,
and R¹, R², D, X, X' and n are as defined for the compound of formula I,
wherein any further OH and/or amino group present is protected,

with a compound of formula III



in which

Z' is $\text{NHR}^2\text{[C(R}^2\text{)}_2\text{]}_n-$,

and R², Y, T and n are as defined for the compound of formula I,
wherein any protecting group is subsequently removed,

b) and/or converting a radical T in a compound of formula I into another radical T and/or
converting a base or acid of the compound of formula I into one of its salts.

32-33. (Cancelled)

34. (Previously Presented) A pharmaceutical composition, comprising a compound according to claim 29 and a pharmaceutically acceptable carrier.

35. (Previously Presented) A pharmaceutical composition according to claim 34, further comprising another pharmaceutically active compound other than the compound of formula I.

36. (Withdrawn and Currently Amended) A method for treating thromboses, ~~myocardial infarction, arteriosclerosis, inflammation, apoplexia, angina pectoris, restenosis after angioplasty, claudicatio intermittens, migraine, a tumor, a tumor disease or tumor metastases~~, comprising administering to a subject in need thereof an effective amount of a pharmaceutical composition according to claim 34.

37 (Currently Amended) A set or kit, comprising separate packs of
(a) a compound according to claim 29, and
(b) a further pharmaceutically active compound other than the compound of formula I.


38. (Withdrawn and Currently Amended) A method for treating thromboses, ~~myocardial infarction, arteriosclerosis, inflammation, apoplexia, angina pectoris, restenosis after angioplasty, claudicatio intermittens, migraine, a tumor, a tumor disease or tumor metastases~~, comprising administering to a subject in need thereof an effective amount of a pharmaceutical composition according to claim 35.

39. (Withdrawn and Currently Amended) A process according to claim 31, wherein converting a radical T in a compound of formula I into another radical T is achieved

by converting a sulfanyl compound into an imino compound, or by removing an amino-protecting group.

40. (Previously Presented) A compound according to claim 29, which is an isolated stereoisomer of a compound of formula I.

41. (Currently Amended) A compound of formula I,



in which

D is ~~phenyl, pyrrolyl, furyl, thiophenyl, pyridinyl, pyrimidinyl, pyridazinyl, pyrazinyl, pyrazolyl, imidazolyl, oxazolyl, isoxazolyl, thiazolyl, isothiazolyl or triazinyl~~, each of which is monosubstituted or polysubstituted by Hal,

X and X' are H,

W is $-\text{[C(R}^2\text{)}_2\text{]}_n\text{CONR}^2\text{[C(R}^2\text{)}_2\text{]}_n-$, $-\text{[C(R}^2\text{)}_2\text{]}_n\text{NR}^2\text{CO[C(R}^2\text{)}_2\text{]}_n-$,
 $-\text{[C(R}^2\text{)}_2\text{]}_n\text{O[C(R}^2\text{)}_2\text{]}_n-$, $-\text{[C(R}^2\text{)}_2\text{]}_n\text{NR}^2\text{[C(R}^2\text{)}_2\text{]}_n-$,
 $-\text{[C(R}^2\text{)}_2\text{]}_n\text{O[C(R}^2\text{)}_2\text{]}_n\text{CONR}^2\text{[C(R}^2\text{)}_2\text{]}_n-$,
 $-\text{[C(R}^2\text{)}_2\text{]}_n\text{NR}^2\text{[C(R}^2\text{)}_2\text{]}_n\text{CONR}^2\text{[C(R}^2\text{)}_2\text{]}_n-$, $-\text{[C(R}^2\text{)}_2\text{]}_n\text{NR}^2\text{COO[C(R}^2\text{)}_2\text{]}_n-$ or
 $-\text{[C(R}^2\text{)}_2\text{]}_n\text{S(O)}_m\text{[C(R}^2\text{)}_2\text{]}_n\text{CONR}^2\text{[C(R}^2\text{)}_2\text{]}_n-$

R² is H, A or $-\text{[C(R}^1\text{)}_2\text{]}_n\text{-Ar}'$,

Ar' is phenyl,

Y is phenylene or piperidinediyl, each of which is unsubstituted or monosubstituted or disubstituted by A, Br, Cl or F,

T is 2-oxopiperidin-1-yl, 2-oxopyrrolidin-1-yl, 2-oxo-1*H*-pyridin-1-yl, 3-oxomorpholin-4-yl, 4-oxo-1*H*-pyridin-1-yl, 2,6-dioxopiperidin-1-yl, 2-oxopiperazin-1-yl, 2,6-dioxopiperazin-1-yl, 2-oxopyrazin-1-yl, 2,5-dioxo-pyrrolidin-1-yl, 2-oxo-1,3-oxazolidin-3-yl, 3-oxo-2*H*-pyridazin-2-yl,

2-caprolactam-1-yl (= 2-oxoazepan-1-yl), 2-hydroxy-6-oxopiperazin-1-yl, 2-azabicyclo[2.2.2]octan-3-on-2-yl, 2-methoxy-6-oxopiperazin-1-yl, 5,6-dihydro-1*H*-pyrimidin-2-oxo-1-yl, 2-iminopiperidin-1-yl or 2-iminopyrrolidin-1-yl,

R¹ is H,

A is unbranched or branched alkyl having 1-10 carbon atoms, in which 1-7 H atoms are optionally replaced by F,

m is 0, 1 or 2, and

n is 0, 1 or 2,

or a pharmaceutically acceptable salt thereof.

42. (Currently Amended) A compound according to Claim 41, which is
 2-[2-(5-chlorothiophen-2-yl)-1*H*-benzimidazol-5-yl]-*N*-[4-(3-oxomorpholin-4-yl)phenyl]acetamide,
 2-[2-(5-chlorothiophen-2-yl)-1*H*-benzimidazol-5-yl]-*N*-[3-methyl-4-(3-oxomorpholin-4-yl)phenyl]acetamide,
 2-[2-(5-chlorothiophen-2-yl)-1*H*-benzimidazol-5-yl]-*N*-[4-(2-oxopyridin-1-yl)phenyl]acetamide,
 2-[2-(5-chlorothiophen-2-yl)-1*H*-benzimidazol-5-yl]-*N*-[4-(2-oxopyrrolidin-1-yl)phenyl]acetamide,
 2-[2-(5-chlorothiophen-2-yl)-1*H*-benzimidazol-5-yl]-*N*-[3-methyl-4-(2-oxopyrrolidin-1-yl)phenyl]acetamide,
 2-[2-(5-chlorothiophen-2-yl)-1*H*-benzimidazol-5-yl]-*N*-[4-(2-oxopyrazin-1-yl)phenyl]acetamide,
 2-[2-(5-chlorothiophen-2-yl)-1*H*-benzimidazol-5-yl]-*N*-[4-(2-iminopyrrolidin-1-yl)phenyl]acetamide,
 2-[2-(5-chlorothiophen-2-yl)-1*H*-benzimidazol-5-yl]-*N*-[4-(2-iminopiperidin-1-yl)phenyl]acetamide,
 2-(5-chlorothiophen-2-yl)-5-[4-(2-oxopiperidin-1-yl)phenoxy]methyl-1*H*-benzimidazole,
 2-(5-chlorothiophen-2-yl)-5-[4-(2-oxopiperidin-1-yl)phenoxy]-1*H*-benzimidazole,
 2-(5-chlorothiophen-2-yl)-5-[4-(2-oxopiperidin-1-yl)phenylamino]-1*H*-benzimidazole,
 2-[2-(5-chlorothiophen-2-yl)-1*H*-benzimidazol-5-yl]-*N*-[4-(3-oxomorpholin-4-yl)phenyl]valeramide,

~~2-[2-(5-chlorothiophen-2-yl)-1*H*-benzimidazol-5-yl]-*N*-[4-(3-oxomorpholin-4-yl)phenyl]-3-phenylpropionamide,~~
~~2-[2-(4-chlorophenyl)-1*H*-benzimidazol-5-yl]-*N*-[4-(3-oxomorpholin-4-yl)phenyl]acetamide,~~
~~2-[2-(4-chlorophenyl)-1*H*-benzimidazol-5-yl]-*N*-[3-methyl-4-(3-oxomorpholin-4-yl)phenyl]acetamide,~~
~~2-[2-(5-chloropyridin-2-yl)-1*H*-benzimidazol-5-yl]-*N*-[4-(3-oxomorpholin-4-yl)phenyl]acetamide,~~
~~2-[2-(5-chloropyridin-2-yl)-1*H*-benzimidazol-5-yl]-*N*-[3-methyl-4-(3-oxomorpholin-4-yl)phenyl]acetamide,~~
~~2-[2-(5-chlorothiophen-2-yl)-1*H*-benzimidazol-5-yl]-*N*-[4-(2-oxopiperidin-1-yl)benzyl]acetamide,~~
~~2-[2-(5-chlorothiophen-2-yl)-1*H*-benzimidazol-5-yloxy]-*N*-[4-(3-oxomorpholin-4-yl)phenyl]acetamide,~~
~~2-[2-(5-chlorothiophen-2-yl)-1*H*-benzimidazol-5-yloxy]-*N*-[4-(3-oxomorpholin-4-yl)phenyl]valeramide,~~
~~2-[2-(5-chlorothiophen-2-yl)-1*H*-benzimidazol-5-yloxy]-*N*-[4-(2-oxopiperidin-1-yl)benzyl]acetamide,~~
~~2-[2-(5-chlorothiophen-2-yl)-1*H*-benzimidazol-5-yl]-*N*-[4-(3-oxomorpholin-4-yl)benzyl]acetamide,~~
~~1-[2-(5-chlorothiophen-2-yl)-1*H*-benzimidazol-5-yl]-*N*-[4-(2-oxopiperidin-1-yl)benzyl]formamide,~~
~~*N*-[2-(5-chlorothiophen-2-yl)-1*H*-benzimidazol-5-yl]-4-(2-oxopiperidin-1-yl)benzamide,~~
~~*N*-[2-(5-chlorothiophen-2-yl)-1*H*-benzimidazol-5-ylmethyl]-*N*-[4-(2-oxopiperidin-1-yl)benzyl]amine,~~
~~2-[2-(5-chlorothiophen-2-yl)-1*H*-benzimidazol-5-ylamino]-*N*-[4-(3-oxomorpholin-4-yl)phenyl]acetamide,~~
~~2-[2-(5-chlorothiophen-2-yl)-1*H*-benzimidazole-5-sulfonyl]-*N*-[3-methyl-4-(3-oxomorpholin-4-yl)phenyl]acetamide,~~
~~2-[2-(5-chlorothiophen-2-yl)-1*H*-benzimidazole-5-sulfonyl]-*N*-[4-(3-oxomorpholin-4-yl)phenyl]acetamide,~~
~~2-[2-(5-chlorothiophen-2-yl)-1*H*-benzimidazole-5-sulfonyl]-*N*-[4-(2-oxopyridin-1-yl)phenyl]acetamide,~~
~~2-[2-(5-chlorothiophen-2-yl)-1*H*-benzimidazole-5-sulfonyl]-*N*-[4-(2-oxopiperidin-1-~~

yl)benzyl]acetamide,
 3-[2-(5-chlorothiophen-2-yl)-1*H*-benzimidazol-5-yl]-*N*-[4-(3-oxomorpholin-4-yl)phenyl]propionamide,
 3-[2-(5-chlorothiophen-2-yl)-1*H*-benzimidazol-5-yl]-*N*-[3-methyl-4-(3-oxomorpholin-4-yl)phenyl]propionamide,
 2-[2-(5-chlorothiophen-2-yl)-1*H*-benzimidazol-5-yl]-*N*-[4-(2-oxopiperidin-1-yl)phenyl]acetamide,
~~2-(5-chlorothiophen-2-yl)-1*H*-benzimidazole-5-carboxamide-*N*-[3-methyl-4-(3-oxomorpholin-4-yl)phenyl]amide,~~
~~2-(5-chlorothiophen-2-yl)-1*H*-benzimidazole-5-carboxamide-*N*-[4-(3-oxomorpholin-4-yl)phenyl]amide,~~
 2-[2-(5-chlorothiophen-2-yl)-1*H*-benzimidazol-5-yl]-*N*-[4-(2-iminopiperidin-1-yl)phenyl]valeramide,
~~2-[2-(5-chlorothiophen-2-yl)-1*H*-benzimidazol-5-yloxy]-*N*-[4-(2-oxopiperidin-1-yl)benzyl]acetamide,~~
~~2-[2-(5-chlorothiophen-2-yl)-1*H*-benzimidazol-5-yloxy]-*N*-[4-(2-oxo-2*H*-pyrazin-1-yl)phenyl]acetamide,~~
~~*N*-[2-(5-chlorothiophen-2-yl)-1*H*-benzimidazol-5-ylmethyl]-4-(2-oxopiperidin-1-yl)benzamide,~~
 2-[2-(5-bromothiophen-2-yl)-1*H*-benzimidazol-5-yl]-*N*-[4-(3-oxomorpholin-4-yl)phenyl]acetamide,
 2-[2-(5-bromothiophen-2-yl)-1*H*-benzimidazol-5-yl]-*N*-[4-(2-oxopiperidin-1-yl)phenyl]acetamide,
 2-[2-(5-bromothiophen-2-yl)-1*H*-benzimidazol-5-yl]-*N*-[4-(2-oxopyridin-1-yl)phenyl]acetamide,
 2-[2-(5-bromothiophen-2-yl)-1*H*-benzimidazol-5-yl]-*N*-[4-(2-oxopiperidin-1-yl)benzyl]acetamide,
 2-[2-(5-bromothiophen-2-yl)-1*H*-benzimidazol-5-yl]-*N*-[3-methyl-4-(3-oxomorpholin-4-yl)phenyl]acetamide,
~~2-[2-(5-chlorothiophen-2-yl)-1*H*-benzimidazol-5-yloxy]-*N*-[4-(2-iminopiperidin-1-yl)phenyl]acetamide,~~
~~2-[2-(5-chlorothiophen-2-yl)-1*H*-benzimidazol-5-yloxy]-*N*-[3-methyl-4-(3-oxomorpholin-4-yl)phenyl]acetamide,~~

~~2-[2-(5-chlorothiophen-2-yl)-1*H*-benzimidazol-5-yloxy]-*N*-(3-fluoro-4-(3-oxomorpholin-4-yl)phenyl)valeramide,~~
N-[2-(5-chlorothiophen-2-yl)-1*H*-benzimidazol-5-ylmethyl]-2-[4-(3-oxomorpholin-4-yl)phenyl]acetamide, or
N-[2-(5-chlorothiophen-2-yl)-1*H*-benzimidazol-5-yl]-2-[4-(3-oxomorpholin-4-yl)phenyl]acetamide,
or a pharmaceutically acceptable salt thereof.

43-45. (Cancelled)

46. (Withdrawn and Currently Amended) A compound according to Claim 41, wherein Y is phenylene, which is unsubstituted or monosubstituted or disubstituted by A, Br, Cl or F ~~method for inhibiting coagulation factor VIIa, comprising administering to a subject in need thereof an effective amount of a compound according to claim 42.~~

47. (Previously Presented) A pharmaceutical composition, comprising a compound according to claim 41 and a pharmaceutically acceptable carrier.

48. (Previously Presented) A pharmaceutical composition, comprising a compound according to claim 42 and a pharmaceutically acceptable carrier.

49. (Withdrawn and Currently Amended) A method for treating thromboses, myocardial infarction, arteriosclerosis, inflammation, apoplexia, angina pectoris, restenosis after angioplasty, claudicatio intermittens, migraine, a tumor, a tumor disease or tumor metastases, comprising administering to a subject in need thereof an effective amount of a pharmaceutical composition according to claim 47.

50. (Withdrawn and Currently Amended) A method for treating thromboses, myocardial infarction, arteriosclerosis, inflammation, apoplexia, angina pectoris, restenosis after angioplasty, claudicatio intermittens, migraine, a tumor, a tumor disease or tumor metastases, comprising administering to a subject in need thereof an effective amount of a pharmaceutical composition according to claim 48.

51. (Previously Presented) A compound according to claim 41, which is an isolated stereoisomer of a compound of formula I.